PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: WO 99/35113 (11) International Publication Number: C07C 29/149, C07D 307/08, 307/32 **A2** (43) International Publication Date: 15 July 1999 (15.07.99) (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, (21) International Application Number: PCT/EP99/00014 BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, (22) International Filing Date: 5 January 1999 (05.01.99) KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, (30) Priority Data: ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, 8 January 1998 (08.01.98) 9800012 BE ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (71) Applicant (for all designated States except US): EURODIOL (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, S.A. [BE/BE]; Parc Industriel Zone A, B-7181 Feluy (BE). SN, TD, TG). (72) Inventor; and (75) Inventor/Applicant (for US only): BERTOLA, Aldo [IT/IT]; Via Luigi Illica, 5, I-20121 Milano (IT). **Published** Without international search report and to be republished upon receipt of that report. (74) Agent: SARPI, Maurizio; Studio Ferrario, Via Collina, 36, I-00187 Roma (IT).

(54) Title: A PROCESS FOR THE PRODUCTION OF TETRAHYDROFURAN, GAMMABUTYROLACTONE AND BUTANEDIOL

(57) Abstract

Process for the production of tetrahydrofuran, gammabutyrolactone and butanediol starting from maleic anhydride esters, consisting of two subsequent hydrogenations.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	
AU	Australia	GA	Gabon	LV	Latvia	SZ	Senegal Swaziland
ΛZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Togo
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Tajikistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkmenistan
\mathbf{BG}	Bulgaria	HU	Hungary	ML	Mali	TT	Turkey
BJ	Benin	IE	Ireland	MN	Mongolia		Trinidad and Tobago
BR	Brazil	II.	Israel	MR	Mauritania	UA	Ukraine
BY	Belarus	IS	Iceland	MW	Malawi	UG	Uganda
CA	Canada	IT	Italy	MX	Mexico	US	United States of America
CF	Central African Republic	JP	Japan	NE	Niger	UZ	Uzbekistan
CG	Congo	KE	Kenya	NL.	Netherlands	VN	Vict Nam
CH	Switzerland	KG	Kyrgyzstan	NO		YU	Yugoslavia
CI	Côte d'Ivoire	KP	Democratic People's	NZ	Norway New Zealand	ZW	Zimbabwe
CM	Cameroon		Republic of Korea	PL	•		
CN	China	KR	Republic of Korea	PT	Poland		
CU	Cuba	KZ	Kazakstan		Portugal		
CZ	Czech Republic	LC	Saint Lucia	RO	Romania		
DE	Germany	LI	Liechtenstein	RU	Russian Federation		
DK	Denmark	LK	Sri Lanka	SD	Sudan		
EE	Estonia	LR		SE	Sweden		
نة بيه	ESCOTIAL STATE OF THE STATE OF	UK	Liberia	SG	Singapore		

WO 99/35113 PCT/EP99/00014

A process for the production of Tetrahydrofuran, Gammabutyrolactone and Butanediol.

Description

The present invention relates to a process for the production of tetrahydrofuran, gammabutyrolactone and butanediol starting from maleic anhydride esters, consisting of two subsequent hydrogenations.

It is known that tetrahydrofuran (THF), gammabutyrolactone (GBL) and butanediol (BDO) can be produced thanks to several methodologies. THF and GBL are chiefly produced starting from BDO. THF is produced starting from butanediol (BDO) by a dehydrogenation process.

THF and GBL production from BDO results to be expensive, because of the relatively high costs arising from the BDO production processes, inherently rather complex.

According to a technique employed in industry, BDO is produced by reaction of acetylene with formaldehyde, with ensuing formation of butynediol, which itself undergoes hydrogenation to BDO.

Mitsubishi Chemical Industries developed a process apt at producing BDO with Butadiene as starting material.

The process involves butadiene acetoxylation to 1,4-diacetoxy-2-butene, that is then hydrogenated and hydrolised to BDO.

General Electric Corp. patented a process for the production of BDO starting from propylene.

5

10

15

20

The process includes the conversion of propylene to allyle acetate, which is converted into 4-acetoxybutanol. This eventually hydrolyses to afford BDO.

A special attention has been devoted to the development of processes where butane is employed as starting material, via the formation of a maleic anhydride intermediate.

Several processes have been proposed for the production of THF, GBL and BDO starting from maleic anhydride, esters thereof, or homologous compounds such as succinic acid and/or fumaric acid esters.

In US patents N°'s 4,584,419 and 4,751,334 in the name of Davy McKee Ltd., processes are described for the production of BDO by hydrogenation of carboxylic acid esters containing 4 Carbon atoms, typically ethyl maleate.

In the above patents, claims refer to hydrogenations carried out within a field with pressures ranging between 25 and 75 bars, and temperatures between 150 and 240°C, in the presence of a stabilised copper chromite type catalyst.

Aim of the present invention is to provide a process whereby THF and GBL can be produced in variable proportions by hydrogenation at moderate pressures with maleic anhydride esters as starting materials, without going through BDO production.

BDO can be produced starting from GBL by subsequent hydrogenation carried out at a higher pressure.

10

15

20

It is another aim of the present invention that of proposing a more straightforward process with higher final product yields, without the need to resort to the extreme pressure and temperature conditions which are proper of the processes proposed in the prior art.

According to the invention the above aims are accomplished thanks to a process for the production of tetrahydrofuran, gamma butyrolactone and butanediol with maleic anhydride esters as starting materials, by two successive hydrogenations.

More particularly the process comprises:

a) A primary hydrogenation of maleic anhydride ester in the vapour phase, at a moderate pressure, in a reactor comprising three reaction stages connected in series.

In the first of the stages thereof a heterogeneous selective hydrogenation catalyst is employed to carry out a conversion of maleic anhydride ester into succinic anhydride ester.

In the second stage a selective hydrogenation catalyst is employed to carry out a conversion of succinic anhydride ester mainly into GBL.

In the third stage a dehydration catalyst is employed mainly to produce THF.

- b) Separation of the effluent from the primary hydrogenation from THF and GBL products.
- c) Feeding a fraction of the GBL produced to a secondary hydrogenation in the vapour phase and at a higher pressure, on a hydrogenation catalyst where GBL

is mainly converted to BDO.

These and other features will be more readily apparent from the following description of a preferred not limiting embodiment of the invention with reference to the accompanying drawings in which:

Fig. 1 shows the typical scheme for the primary hydrogenation.

Fig. 2 shows a typical scheme for the secondary hydrogenation.

In the process object of the present invention, maleic anhydride ester, preferably dimethymaleate (DMM) is completely vapourised in a hydrogen rich stream, to be fed to a reaction system containing three distinct catalysts connected in series. The reaction system thereabout is hereafter indicated as primary hydrogenation.

The first stage of the primary hydrogenation employs a noble metal based heterogeneous selective hydrogenation catalyst.

In the second stage of the primary hydrogenation a heterogeneous copper-zinc oxide or copper chromite type catalyst is employed.

In the third stage of the primary hydrogenation, a silica-alumina type heterogeneous catalyst is employed. This is acidic and rich in silica.

To allow the reaction to occur in the vapour phase, it is necessary that the reaction mixture be rich in hydrogen.

The H_2 to ester molar ratio in the three

WO 99/35113 PCT/EP99/00014

5

stages of the primary hydrogenation reactor ranges between 50 and 600, preferably between 70 and 200.

Pressure and temperature in the primary hydrogenation, as well as residence times on the catalysts can be optimised depending on the proportions between the GBL and THF to be produced.

The above ratio can be varied within a large interval, which spans between the 90:10 and the 10:90 GBL:THF ratios.

Optimal overall yields are obtained operating the reaction with the ratios of the above ranging between 70:30 and 40:60.

The overall average operating pressure ranges between 3 and 40 bars, and preferably between 15 and 25 bars.

Temperature at the inlet of the first reaction stage is between 120 and 170 °C, preferably between 190° and 220°C.

Liquid Hourly Space Velocity in the first stage ranges between 1.0 and 3.0 hr⁻¹.

Liquid Hourly Space Velocity in the second and third stages range beytween 1.0 and 0.5 $hr^{\text{-1}}$

The space velocity with which the gaseous mixture flows on the catalyst of the third reaction stage results to be 1.5 to 10 times higher than that it has when it flows on the catalyst of the second stage.

A cooling between the several reaction stages can be carried out by admixing a cold hydrogen stream to the effluent from the previous stage of reaction.

The typical scheme of the primary

15

15

hydrogenation process is given in figure 1. Operating conditions refer to dimethylmaleate (DMM) as starting material.

Essentially, the process holds even in case the starting material is made up of other maleic anhydride esters.

The ester feedstock (line 1) is fed to vapouriser 3 together with a recycle stream (line 2) containing BDO and unconverted dimethylsuccinate (DMS), from product fractionation unit 25.

In the recycle stream GBL is also typically present, and this forms an azeotrope with DMS.

In vapouriser 3 the feedstock (line 1) and the recycle (line 2) come to contact with a hot hydrogen stream (line 4) and they vapourise.

In the gas stream at the outlet of the vapouriser (line 5), the H_2 to shot molar ratio is 100, temperature is 140°C, pressure is 15 ATE.

Such stream feeds the first stage of hydrogenation 6 that contains a heterogeneous selective hydrogenation catalyst which is typically, and not limitedly, of the palladium on alumina type.

In the first reaction stage DMM is fully hydrogenated to DMS.

The effluent feeds into the second stage of reaction 7 where a copper-zinc oxide or stabilised copper chromite type catalyst is contained.

At the outlet of the second reaction stage, temperature is taken down from approximately 225 to approximately 200 °C by injection of a cold hydrogen

WO 99/35113 PCT/EP99/00014

7

stream (line 20).

In the third stage of reaction 8, gases flow onto an acidic catalyst of the silica-alumina type. Mordenites or acidic zeolites are one type of catalyst employed in the process. These have an $0.65~\mathrm{ABD}$ apparent density and a $450~\mathrm{m}^2\mathrm{gr}^{-1}$ surface area.

At the outlet of the third reaction stage, the overall conversion is as high as 97% and product distribution is the following:

GBL: 53%

THF: 34%

BDO: 7%

Byproducts: 3%

Overall Liquid Hourly Space Velocity in the first reaction stage is 2.5 hr⁻¹. Overall Liquid Hourly Space Velocity in the second and third reaction stages is 0.2 hr⁻¹.

The effluent from the third reaction stage (line 9) cools down in exchanger 10 letting off heat to the recycle hydrogen stream. It also does so in exchanger 11 and eventually feeds separator 12 where the condensed organic phase and the hydrogen enriched gaseous phase separate.

After leaving separator 12, the gaseous phase (line 13) is compressed in compressor 14, and is then recycled to the reaction system. A fraction of recycle gas is purged (line 15) to avoid excessive deposition of inert materials.

Compressed gas feeds (line 16) column 17, 30 where it comes to contact with a GBL enriched stream

20

25

(line 18) from product fractionation unit 25, which washes it. This allows removal of the steam present in the gases.

As known, water is a common byproduct in THF 5 synthesis.

Such an effective removal of water as that achieved washing recycle gases with a GBL enriched liquid stream is important to avoid deterioration of the copper based catalyst.

After washing, the GBL enriched stream (line 30) returns to the byproduct fractionation unit 25 where the absorbed water is removed.

Dried gases (line 19) together with the hydrogen feedstock, partly mix with the effluents from reactors 6 and 7 for temperature check, and partly (line 22) preheat in exchanger 10 and subsequently in exchanger 23, where THF (line 26), water, methanol light organic byproducts (line 27), GBL (line 28), a fraction containing BDO and DMS which is eventually recycled into the reaction (line 2) and heavy organic byproducts (line 29) separate.

A fraction of the GBL produced (line 31) is fed to the subsequent hydrogenation unit hereafter known as secondary hydrogenation, which operates at high pressure.

The following are the typical operating conditions of the secondary reaction at the reactor inlet in the process object of the present invention:

Reaction Type: adiabatic

30 Hydrogen:ester molar ratio from 100 to

800, preferably from 200 to 800.

Operating Pressure : from 75 to 120

5 bars, preferably

from 80 to 100

bars

Operating emperature: from 160° to

230°C,

10 preferably from

190° to 210°C

Catalyst Type: Copper-Zinc

oxid or copper

chromite.

Liquid Hourly Space Velocity: from 0.1 to 1.0

hr⁻¹, averagely

from 0.3 to 0.5

hr.

A scheme of the secondary hydrogenation is given in Figure 2.

GBL feedstock (line 31), together with a liquid recycle stream (line 32) containing GBL from fractionation unit 49, is fed to vapouriser 33. Therein the shot (line 31) and the recycle (line 32) come to contact with a hot hydrogen stream (line 34) and vapourise.

At the vapouriser outlet, temperature is 190°C, pressure is 80 ATE and the gas stream (line 35) has a hydrogen to ester ratio equalling 300:1.

30 Such gas straem feeds reactor 36 where a

15

catalyat of the copper-zinc oxide type or stabilised copper chromite type catalyst is contained. The latter has a surface area which is never any lower than $40\text{m}^2\text{g}^{-1}$

Liquid Hourly Space Velocity is 0.35 hr⁻¹.

At the reactor outlet, more than 90% of the GBL feedstock has been converted.

Tetrahydrofuran is obtained as a byproduct and it totals up to 6% of the overall GBL produced, on a molar basis.

The reaction shows a ca. 99% selectivity with respect to the total BDO plus THF produced.

The effluent from the reactor (line 37) cools down in exchanger 38, where it gives off heat to the hydrogen enriched stream. After that it cools down in exchanger 39, before feeding into separator 41 (line 40), where the condensed organic phase separates from the hydrogen enriched gaseous phase.

After leaving separator 41 (line 43), the gaseous phase is compressed in compressor 44, before being recycled to the reaction system.

A small fraction of the recycle gas is purged (line 45) to avoid excessive accumulation of inert material.

Compressed gas (line 46) admixes to the feed hydrogen (line 47) and preheats in exchanger 38 as well as in terminal heater 48. After that it feeds (line 34) vapouriser 33.

After leaving separator 41, the liquid phase 30 feeds (line 42) product fractionation unit 49 where two

products are separated: one consisting of THF, water and light organic byproducts, which is directed (line 50) towards the THF recovery unit. The other is an unconverted GBL enriched fraction (line 32) and it is recycled to hydrogenation. Heavy organic byproducts (line 51) and BDO (line 52) separate at the same time.

The entire process thereof allows production of THF, GBL and BDO directly and with a high degree of flexibility, avoiding all the complications presented by all those processes where THF and GBL are produced using BDO as starting material.

10

15

CLAIMS

- process A for the production of tetrahydrofuran, gamma butyrolactone and butanediol with maleic anhydride esters as starting materials, characterised in that it comprises a sequence of the following three steps: a step wherein a primary hydrogenation of maleic anhydride ester is carried out; a step wherein the effluent originated in the primary hydrogenation separates from the products, namely GBL and THF; a step wherein a fraction of the GBL produced is fed to a secondary hydrogenation reaction where GBL is mainly converted to BDO.
- 2. A process according to claim 1 wherein the primary hydrogenation step comprises three reaction stages, the first of said stages wherein maleic anhydride ester is converted into succinic anhydride ester, the second of said stages wherein succinic anhydride ester is mainly converted into GBL, and the third of said stages wherein mainly THF is produced.
- 3. A process according to claims 1 and 2, characterised in that the primary hydrogenation of maleic anhydride ester takes place in the vapour phase and at a moderate pressure.
- 4. A process according to claims 1,2 and 3
 wherein the primary hydrogenation takes place in a reactor comprising three reactor stages connected in series.
- 5. A process according to claim 4 wherein the reaction of the first stage occurs on a heterogeneous selective hydrogenation catalyst, the reaction of the

WO 99/35113 PCT/EP99/00014

13

second stage occurs on a selective hydrogenation catalyst, the reaction of the third stage occurs on a dehydration catalyst.

- 6. Process according to claim 1 wherein the secondary hydrogenation is in the vapour phase and at a pressure which is higher than that of the first hydrogenation.
 - 7. A process according to claims 1 and 6 wherein the secondary hydrogenation takes place on a copper/zinc oxide or copper chromite catalyst.
 - 8. A process for the production of tetrahydrofuran, gamma butyrolactone and butanediol with maleic anhydride esters as starting materials, characterised in that it comprises a sequence of the following three steps:
 - a) A primary hydrogenation of maleic anhydride ester in the vapour phase, at a moderate pressure, in a reactor comprising three reaction stages connected in series; the first of said stages being equipped with a heterogeneous selective hydrogenation catalyst employed to carry out a conversion of maleic anhydride ester into succinic anhydride ester; in the second of said stages a selective hydrogenation catalyst being employed to carry out a conversion of succinic anhydride ester mainly into GBL; in the third of said stages a dehydration catalyst being employed mainly to produce THF;
 - b) Separation of the effluent from the primary hydrogenation from THF and GBL products;
- 30 c) Feeding a fraction of the GBL produced to a

5

10

15

20

15

20

25


secondary hydrogenation in the vapour phase and at a higher pressure, on a hydrogenation catalyst where GBL is mainly converted to BDO.

- 9. A process according to claims 1 and 2, or 8 characterised in that the alkyl component of the maleic anhydride ester consists of 1 to 4 carbon atoms.
 - 10. A process according to claims 1,2,3,4 and 5, or 8 characterised in that the primary hydrogenation is carried out at an operating pressure that ranges between 3 and 40 bars, and at an operating temperature that ranges between 120 and 250 °C.
 - 11. A process according to claims 1,2,3,4 and 5, or 8, and 10, characterised in that all along the three stages of the primary hydrogenation, the molar ratio between hydrogen and ester shot ranges between 50 and 600.
 - 12. A process according to claim 11, characterised in that the molar ratio between hydrogen and ester in all three stages of the primary hydrogenation ranges between 70 and 200
- or 8 wherein the catalyst at the first stage of the primary hydrogenation reactor is noble metal based, such as Palladium on alumina substrate, the catalyst at the second stage is a catalyst of the copper-zinc oxide or stabilised copper chromite type, the catalyst of the third stage is of the alumina-silica type, it is acidic and rich in silica.
- 14. A process according to claims 1 and 2 or 8 characterised in that the ratio between the GBL and THF

products can range between 10:90 and 90:10.

- 15. A process according to claim 14, charcterised in that the ratio between the GBL and THF products can range between 70:30 and 40:60.
- 16. A process according to claims 8 or 10, characterised in that the primary hydrogenation is carried out at pressures ranging between 15 and 25 bars.
- 17. A process according to claims 2 and 5, or 8 characterised in that the Liquid Hourly Space Velocity in the first stage ranges between 1 and 3 hr^{-1} .
 - 18. A process according to claims 2 and 5, or 8 characterised in that the Liquid Houirly Space Velocity in the second stage ranges between 0.1 and 0.5 hr^{-1}
- 19. A process according to claim 13, characterised in that the catalyst in the third stage has a specific surface ranging between 50 and 800 m^2g^{-1} .
- 20. A process according to claims 13 and 19 characterised in that the catalyst in the third stage contains between 60 and 100% silica.

25



BNSDUCID: <WU ____ 9935113A2 1 >




FIG. 2

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification ⁶ : C07C 29/149, C07D 307/08, 307/32	A3	 (11) International Publication Number: WO 99/35113 (43) International Publication Date: 15 July 1999 (15.07.99)
(21) International Application Number: PCT/EPS (22) International Filing Date: 5 January 1999 (C) (30) Priority Data: 9800012 8 January 1998 (08.01.98) (71) Applicant (for all designated States except US): EUR S.A. [BE/BE]; Parc Industriel Zone A, B-7181 Fel (72) Inventor; and (75) Inventor/Applicant (for US only): BERTOLA, Aldo Via Luigi Illica, 5, I-20121 Milano (IT). (74) Agent: SARPI, Maurizio; Studio Ferrario, Via Col I-00187 Roma (IT).	BRODIC	BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI paten (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE SN, TD, TG). Published With international search report.
	ETRA	HYDROFURAN, GAMMABUTYROLACTONE AND BUTANEDIOL
Process for the production of tetrahydrofuran, gamm of two subsequent hydrogenations.	abutyro	plactone and butanediol starting from maleic anhydride esters, consisting

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Schegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Grecce		Republic of Macedonia	TR	
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Turkey
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Trinidad and Tobago
BR	Brazil	IL	Israel	MR	Mauritania	UG	Ukraine
BY	Belarus	IS	Iceland	MW	Malawi		Uganda
CA	Canada	IT	Italy	MX	Mexico	US	United States of America
CF	Central African Republic	JP	Japan	NE	Niger	UZ	Uzbekistan
CG	Congo	KE	Kenya	NL	Netherlands	VN	Viet Nam
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	YU	Yugoslavia
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand	ZW	Zimbabwe
CM	Cameroon		Republic of Korea	PL	Poland Poland		
CN	China	KR	Republic of Korea	PT			
CU	Cuba	KZ	Kazakstan	RO	Portugal Romanja		
CZ	Czech Republic	LC	Saint Lucia	RU			
DE	Germany	Li	Liechtenstein	SD	Russian Federation		
DK	Denmark	LK	Sri Lanka	SE	Sudan		
EE	Estonia	LR	Liberia		Sweden		
~~~	www.	LIK	LIUCHA	SG	Singapore		

# INTERNATIONAL SEARCH REPORT

Inte ional Application No PCT/EP 99/00014

A. CLASSI IPC 6	FICATION OF SUBJECT MATTER C07C29/149 C07D307/08 C07D307/	<b>'</b> 32	
According to	o International Patent Classification (IPC) or to both national classifica	ation and IPC	
B. FIELDS	SEARCHED		
Minimum do	COTC COTD	on symbols)	
Documenta	tion searched other than minimum documentation to the extent that s	uch documents are included in the fields se	earched
	lata base consulted during the international search (name of data bas	se and. where practical, search terms used	)
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	·	
Category ⁻	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.
Α	WO 86 03189 A (DAVY MCKEE (LONDON 5 June 1986 see page 5 - page 6; claim l	I))	1,8
Α	US 4 032 458 A (S.D. COOLEY, ET A 28 June 1977 see column 2; claim 1	L.)	1,8
A	EP 0 190 424 A (CHEMIE LINZ) 13 August 1986 see example 1		1
<b>A</b>	BE 892 958 A (DAVY MCKEE (OIL & CHEMICALS)) 16 August 1982 see page 6		1,7
	_	-/	
		· · · · · · · · · · · · · · · · · · ·	
X Furt	ther documents are listed in the continuation of box C.	χ Patent family members are listed	in annex.
"A" docum consid "E" earlier filing (	dare	"T" later document published after the inte or priority date and not in conflict with cited to understand the principle or the invention "X" document of particular relevance; the of cannot be considered novel or cannot	the application but early underlying the claimed invention be considered to
which citation of their other citation of their	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another on or other special reason (as specified) nent referring to an oral disclosure, use, exhibition or means  nent published prior to the international filing date but than the priority date claimed	"Y" document of particular relevance; the cannot be considered to involve an indocument is combined with one or moments, such combination being obvious in the art.  "&" document member of the same patent	claimed invention ventive step when the ore other such docu- us to a person skilled
<u> </u>	actual completion of the international search	Date of mailing of the international sea	
	22 June 1999	01/07/1999	
Name and	mailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040. Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	English, R	•

Form PCT/ISA/210 (second sheet) (July 1992)

# INTERNATIONAL SEARCH REPORT

Intc...ional Application No PCT/EP 99/00014

	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category [:]	Citation of document, with indication, where appropriate of the relevant passages	Relevant to claim No.
Ą	US 4 652 685 A (J.N. CAWSE, ET AL.) 24 March 1987 see column 2 - column 3; examples	1,7
	US 2 251 895 A (W. REPPE, ET AL.) 5 August 1941 see the whole document	1
		•

## INTERNATIONAL SEARCH REPORT

information on patent family members

Inte Conal Application No
PCT/EP 99/00014

Patent document . cited in search report		·	Publication date	Patent family member(s)		Publication , date	
WO 8603	189	A	05-06-1986	BR	8507068	Α	14-07-1987
				CA	1249837	Α	07-02-1989
				EP	0204730	Α	17-12-1986
				JP	6055684	В	27-07-1994
				US	4751334	Α	14-06-1988
				JP	62501702	T	09-07-1987
us 4032	458	A	28-06-1977	NONE			- The Color (1) -
EP 0190	 424	Α	13-08-1986	DE	3503485	Α	07-08-1986
	· <del></del>	-		ĀT	57523		15-11-1990
				CS	8600708		13-10-1989
				JP	61180742	Α	13-08-1986
BE 8929	 58	Α	16-08-1982	AU	560590	В	09-04-1987
				AU	8336582	Α	07-12-1982
				BR	8207962	Α	04-10-1983
				CA	1229096		10-11-1987
				FI	831848	Α	24-05-1983
				WO	8203854	Α	11-11-1982
	•			GB	2116552	A,B	28-09-1983
				JP	4057655	•	14-09-1992
				JP	58500993	T	23-06-1983
				NL	191438		01-03-1995
				NL	8220121	T	01-07-1983
				SE	452154	В	16-11-1987
		•		SE	8303027		30-05-1983
				ZA	8202718		30-03-1983
US 4652	685	Α	24-03-1987	EP	0222398	Α	20-05-1987
				JP	62155231	Α	10-07-1987
US 2251	895	Α	05-08-1941	NONE		<del></del>	

Form PCT/ISA/210 (patent family annex) (July 1992)

# THIS PAGE BLANK (USPTO)